



Order #: 78015
Retail Batch #:
03172023-3

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Order Information

Order #: 78015
Order Name: RT 239
Retail Batch #: 03172023-3
Received: 03/21/2023 12:58:07
Complete: 03/24/2023 00:27:14

Batch Information

Create Date: 03/17/2023
Exp. Date: 09/17/2024
Size: 3
Total Qty.: 0
Matrix: Edible/Food
Pickup Weight: N/A

CANNABINOIDS NOT TESTED	LABEL CLAIM NOT TESTED	MICROBIAL ANALYSIS PASS
RESIDUAL SOLVENTS PASS	AGRICULTURAL AGENTS PASS	HEAVY METAL ANALYSIS PASS
TERPENES NOT TESTED	MOISTURE ANALYSIS TESTED	WATER ACTIVITY TESTED
FILTH & FOREIGN MATERIAL ANALYSIS PASS	HOMOGENEITY NOT TESTED	MYCOTOXIN ANALYSIS PASS



NT
Total THC

NT
Total CBD

NT
Total Cannabinoids

Diana Asensio, M.S.

Lab Director

Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Order #: 78015
Retail Batch #:
03172023-3

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Agricultural Agents

GC-MS/MS

PASS

Sample Prep

Tech: 4090
SOP: 402
Batch Number: 59041
Batch Date: 03/21/2023 14:44:01

Sample Analysis

Date/Time: 03/22/2023 15:27:52
Tech: 3445
SOP: 402
Final Weight: 0.5366 g
Volume: 10 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL (ppm)	RESULTS (ppm)
Captan	0.07/0.1	1	3	ND
Chlordane	0.01/0.1	1	0.1	ND
Chlorfenapyr	0.01/0.1	1	0.1	ND
Coumaphos	0.01/0.1	1	0.1	ND
Cyfluthrin	0.01/0.1	1	1	ND
Cypermethrin	0.01/0.1	1	1	ND
Methyl parathion	0.01/0.1	1	0.1	ND
Pentachloronitrobenzene	0.01/0.1	1	0.2	ND

MYCOTOXIN ANALYSIS

LC-MS/MS

PASS

Sample Prep

Tech: 4090
SOP: 432
Batch Number: 59033
Batch Date: 03/21/2023 13:49:47


Sample Analysis

Date/Time: 03/23/2023 15:53:15
Tech: 3445
SOP: 424
Final Weight: 0.527 g
Volume: 5 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LEVEL (ppb)	RESULTS (ppb)
Aflatoxin B1	2/10	2	20	ND
Aflatoxin B2	2/10	2	20	ND
Aflatoxin G1	2/10	2	20	ND
Aflatoxin G2	2/5	2	20	ND
Ochratoxin A	2/10	2	20	ND

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-0004



Order #: 78015
Retail Batch #:
03172023-3

Agricultural Agents

LC-MS/MS

PASS

Sample Prep

Tech: 4090
SOP: 432
Batch Number: 59033
Batch Date: 03/21/2023 13:49:47


Sample Analysis

Date/Time: 03/23/2023 15:53:15
Tech: 3445
SOP: 424
Final Weight: 0.527 g
Volume: 5 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL(ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT(ppm)	RESULTS (ppm)
Abamectin B1a	0.002/0.035	2	0.3	ND	Imazalil	0.002/0.01	2	0.1	ND
Acephate	0.002/0.04	2	3	ND	Imidacloprid	0.002/0.002	2	3	ND
Acequinocyl	0.002/0.002	2	2	ND	Kresoxim-methyl	0.002/0.002	2	1	ND
Acetamiprid	0.002/0.002	2	3	ND	Malathion	0.01/0.04	2	2	ND
Aldicarb	0.002/0.01	2	0.1	ND	Metalaxyl	0.002/0.004	2	3	ND
Azoxystrobin	0.002/0.04	2	3	ND	Methiocarb	0.002/0.01	2	0.1	ND
Bifenazate	0.002/0.002	2	3	ND	Methomyl	0.002/0.002	2	0.1	ND
Bifenthrin	0.002/0.002	2	0.5	ND	Mevinphos	0.009/0.036	2	0.1	ND
Boscalid	0.01/0.05	2	3	ND	Myclobutanil	0.002/0.04	2	3	ND
Carbaryl	0.002/0.004	2	0.5	ND	Naled	0.002/0.01	2	0.5	ND
Carbofuran	0.002/0.01	2	0.1	ND	Oxamyl	0.002/0.002	2	0.5	ND
Chlorantraniliprole	0.002/0.01	2	3	ND	Paclobutrazol	0.002/0.004	2	0.1	ND
Chloromequat chloride	0.002/0.004	2	3	ND	Permethrins	0.002/0.01	2	1	ND
Chlorpyrifos	0.002/0.01	2	0.1	ND	Phosmet	0.002/0.002	2	0.2	ND
Clofentezine	0.002/0.002	2	0.5	ND	Piperonyl Butoxide	0.002/0.002	2	3	ND
Daminozide	0.01/0.04	2	0.1	ND	Prallethrin	0.002/0.01	2	0.4	ND
Diazinon	0.002/0.01	2	0.2	ND	Propiconazole	0.002/0.04	2	1	ND
Dichlorvos	0.002/0.04	2	0.1	ND	Propoxur	0.002/0.01	2	0.1	ND
Dimethoate	0.002/0.002	2	0.1	ND	Pyrethrins	0.001/0.013	2	1	ND
Dimethomorph	0.001/0.002	2	3	ND	Pyridaben	0.002/0.002	2	3	ND
Ethoprophos	0.002/0.01	2	0.1	ND	Spinetoram	0.001/0.003	2	3	ND
Etofenprox	0.002/0.002	2	0.1	ND	Spinosad	0.001/0.001	2	3	ND
Etoxazole	0.002/0.002	2	1.5	ND	Spiromesifen	0.002/0.002	2	3	ND
Fenhexamid	0.01/0.04	2	3	ND	Spirotetramat	0.002/0.01	2	3	ND
Fenoxycarb	0.002/0.004	2	0.1	ND	Spiroxamine	0.002/0.04	2	0.1	ND
Fenpyroximate	0.002/0.002	2	2	ND	Tebuconazole	0.01/0.04	2	1	ND
Fipronil	0.002/0.004	2	0.1	ND	Thiacloprid	0.002/0.002	2	0.1	ND
Fonicamid	0.002/0.01	2	2	ND	Thiamethoxam	0.002/0.01	2	1	ND
Fludioxonil	0.002/0.004	2	3	ND	Trifloxystrobin	0.002/0.002	2	3	ND
Hexythiazox	0.002/0.004	2	2	ND					

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Order #: 78015
Retail Batch #:
03172023-3

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

RESIDUAL SOLVENTS

HS-GC-MS

PASS

Sample Prep

Tech: 4245
SOP: 405
Batch Number: 59045
Batch Date: 03/21/2023 18:20:33

Sample Analysis

Date/Time: 03/23/2023 12:35:34
Tech: 2816
SOP: 405
Final Weight: 0.0521 g
Volume: 1 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)
1,1-Dichloroethene	0.6/0.63	1	8	ND	Heptane	6/140	1	5000	ND
1,2-Dichloroethane	0.012/0.12	1	2	ND	Hexanes	0.06/18	1	250	ND
Acetone	9/140	1	750	ND	Isopropyl alcohol	3/140	1	500	<LOQ
Acetonitrile	0.72/25	1	60	<LOQ	Methanol	6/100	1	250	<LOQ
Benzene	0.06/1	1	1	ND	Methylene chloride	1.5/1.5	1	125	ND
Butane	48/50	1	5000	ND	Pentane	9/140	1	750	ND
Chloroform	0.2/1	1	2	ND	Propane	30/30	1	5000	ND
Ethanol	12/140	1	5000	ND	Toluene	0.9/53	1	150	ND
Ethyl acetate	2.4/140	1	400	ND	Total xylenes	1.8/130	1	150	ND
Ethyl ether	6/140	1	500	ND	Trichloroethylene	0.3/1	1	25	ND
Ethylene oxide	0.6/2	1	5	ND					

HEAVY METAL ANALYSIS

ICP-MS

PASS

Sample Prep

Tech: 3396
SOP: 428
Batch Number: 59075
Batch Date: 03/23/2023 10:05:11

Sample Analysis

Date/Time: 03/23/2023 14:38:28
Tech: 3396
SOP: 428
Final Weight: 0.2315 g
Volume: 60 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LIMIT (ppb)	RESULTS (ppb)
Arsenic	20/75	1	1500	<LOQ
Cadmium	20/75	1	500	ND
Lead	20/75	1	500	<LOQ
Mercury	20/75	1	3000	ND

FILTH & FOREIGN MATERIAL ANALYSIS


Result: **PASS**

Sample Prep and Analysis

Date/Time: 03/22/2023 09:59:49
Tech: 3975
SOP: 409
Final Weight: 243.3 g

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Order #: 78015
Retail Batch #:
03172023-3

MICROBIAL ANALYSIS

PASS

Sample Prep

Tech: 3975
SOP: 406

Batch Number: 59031
Batch Date: 03/21/2023 13:08:20

Date/Time: 03/22/2023 18:39:34
Tech: 3571
SOP: 406

Final Weight: 1.0049 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total yeast and mold	qPCR	NA	NOT DETECTED	PASS

Sample Analysis

Sample Prep

Tech: 3975
SOP: 406

Batch Number: 59030
Batch Date: 03/21/2023 13:08:06

Date/Time: 03/23/2023 17:53:45
Tech: 3358
SOP: 406

Final Weight: 1.0164 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Pathogenic e. coli	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Sample Analysis

Sample Prep

Tech: 3975
SOP: 406

Batch Number: 59030
Batch Date: 03/21/2023 13:08:06

Date/Time: 03/23/2023 17:53:45
Tech: 3358
SOP: 406


Final Weight: 1.0164 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Salmonella	qPCR	< 1 CFU/g	NOT DETECTED	PASS
STEC e. coli	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Sample Analysis

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Order #: 78015
Retail Batch #:
03172023-3

WATER ACTIVITY

Water Activity Meter
Water: 0.577 Aw

Sample Prep and Analysis

Date/Time: 03/22/2023 10:18:27
Tech: 3975
SOP: 407
Final Weight: 1.0599 g

MOISTURE ANALYSIS


Moisture: **4.61 %**

Sample Prep and Analysis

Date/Time: 03/22/2023 09:45:26
Tech: 3975
SOP: 411
Final Weight: 0.303 g

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



