



Order #: 84985
Retail Batch #:
AMNTBENCH

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Order Information

Order #: 84985
Order Name: AMNTBENCH
Retail Batch #: AMNTBENCH
Received: 01/12/2024 11:55:54
Complete: 01/18/2024 09:52:23

Batch Information

Create Date: 08/06/2023
Exp. Date: 02/06/2025
Size: 3

Total Qty.: 0
Matrix: Edible/Food
Pickup Weight: N/A

CANNABINOIDS NOT TESTED	LABEL CLAIM NOT TESTED	MICROBIAL ANALYSIS PASS
RESIDUAL SOLVENTS PASS	AGRICULTURAL AGENTS PASS	HEAVY METAL ANALYSIS PASS
TERPENES NOT TESTED	MOISTURE ANALYSIS TESTED	WATER ACTIVITY TESTED
FILTH & FOREIGN NOT TESTED	HOMOGENEITY NOT TESTED	MYCOTOXIN ANALYSIS PASS



NT Total THC
NT Total CBD
NT Total Cannabinoids

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Order #: 84985
Retail Batch #:
AMNTBENCH

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Agricultural Agents

GC-MS/MS

PASS

Sample Prep

Tech: 4090
SOP: 402
Batch Number: 62111
Batch Date: 01/11/2024 13:09:32

Sample Analysis

Date/Time: 01/15/2024 15:53:18
Tech: 2816
SOP: 402
Final Weight: 0.5235 g
Volume: 10 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL (ppm)	RESULTS (ppm)
Captan	0.07/0.1	1	3	ND
Chlordane	0.01/0.1	1	0.1	ND
Chlorfenapyr	0.01/0.1	1	0.1	ND
Coumaphos	0.01/0.1	1	0.1	ND
Cyfluthrin	0.01/0.1	1	1	ND
Cypermethrin	0.01/0.1	1	1	ND
Methyl parathion	0.01/0.1	1	0.1	ND
Pentachloronitrobenzene	0.01/0.1	1	0.2	ND

MYCOTOXIN ANALYSIS

LC-MS/MS

PASS

Sample Prep

Tech: 4090
SOP: 432
Batch Number: 62116
Batch Date: 01/11/2024 13:50:49

Sample Analysis

Date/Time: 01/16/2024 13:12:14
Tech: 3445
SOP: 424
Final Weight: 0.1023 g
Volume: 2.5 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LEVEL (ppb)	RESULTS (ppb)
Aflatoxin B1	2/10	1	20	ND
Aflatoxin B2	2/10	1	20	ND
Aflatoxin G1	2/10	1	20	ND
Aflatoxin G2	2/5	1	20	ND
Ochratoxin A	2/10	1	20	ND

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-0004



Order #: 84985
Retail Batch #:
AMNTBENCH

Agricultural Agents

LC-MS/MS

PASS

Sample Prep

Tech: 4090
SOP: 432
Batch Number: 62116
Batch Date: 01/11/2024 13:50:49

Sample Analysis

Date/Time: 01/16/2024 13:12:14
Tech: 3445
SOP: 424
Final Weight: 0.1023 g
Volume: 2.5 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL(ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT(ppm)	RESULTS (ppm)
Abamectin B1a	0.002/0.035	1	0.3	ND	Imazalil	0.002/0.01	1	0.1	ND
Acephate	0.002/0.04	1	3	ND	Imidacloprid	0.002/0.002	1	3	ND
Acequinocyl	0.002/0.002	1	2	ND	Kresoxim-methyl	0.002/0.002	1	1	ND
Acetamiprid	0.002/0.002	1	3	ND	Malathion	0.01/0.04	1	2	ND
Aldicarb	0.002/0.01	1	0.1	ND	Metalaxyl	0.002/0.004	1	3	ND
Azoxystrobin	0.002/0.04	1	3	ND	Methiocarb	0.002/0.01	1	0.1	ND
Bifenazate	0.002/0.002	1	3	ND	Methomyl	0.002/0.002	1	0.1	ND
Bifenthrin	0.002/0.002	1	0.5	ND	Mevinphos	0.009/0.036	1	0.1	ND
Boscalid	0.01/0.05	1	3	ND	Myclobutanil	0.002/0.04	1	3	ND
Carbaryl	0.002/0.004	1	0.5	ND	Naled	0.002/0.01	1	0.5	ND
Carbofuran	0.002/0.01	1	0.1	ND	Oxamyl	0.002/0.002	1	0.5	ND
Chlorantraniliprole	0.002/0.01	1	3	ND	Paclobutrazol	0.002/0.004	1	0.1	ND
Chlormequat chloride	0.002/0.004	1	3	ND	Permethrins	0.002/0.01	1	1	ND
Chlorpyrifos	0.002/0.01	1	0.1	ND	Phosmet	0.002/0.002	1	0.2	ND
Clofentezine	0.002/0.002	1	0.5	ND	Piperonyl Butoxide	0.002/0.002	1	3	0.002
Daminozide	0.01/0.04	1	0.1	ND	Prallethrin	0.002/0.01	1	0.4	ND
Diazinon	0.002/0.01	1	0.2	ND	Propiconazole	0.002/0.04	1	1	ND
Dichlorvos	0.002/0.04	1	0.1	ND	Propoxur	0.002/0.01	1	0.1	ND
Dimethoate	0.002/0.002	1	0.1	ND	Pyrethrins	0.001/0.013	1	1	ND
Dimethomorph	0.001/0.002	1	3	ND	Pyridaben	0.002/0.002	1	3	ND
Ethoprophos	0.002/0.01	1	0.1	ND	Spinetoram	0.001/0.003	1	3	ND
Etofenprox	0.002/0.002	1	0.1	ND	Spinosad	0.001/0.001	1	3	ND
Etoxazole	0.002/0.002	1	1.5	ND	Spiromesifen	0.002/0.002	1	3	ND
Fenhexamid	0.01/0.04	1	3	ND	Spirotetramat	0.002/0.01	1	3	ND
Fenoxycarb	0.002/0.004	1	0.1	ND	Spiroxamine	0.002/0.04	1	0.1	ND
Fenpyroximate	0.002/0.002	1	2	ND	Tebuconazole	0.01/0.04	1	1	ND
Fipronil	0.002/0.004	1	0.1	ND	Thiacloprid	0.002/0.002	1	0.1	ND
Fonicamid	0.002/0.01	1	2	ND	Thiamethoxam	0.002/0.01	1	1	ND
Fludioxonil	0.002/0.004	1	3	ND	Trifloxystrobin	0.002/0.002	1	3	ND
Hexythiazox	0.002/0.004	1	2	ND					

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Order #: 84985
Retail Batch #:
AMNTBENCH

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

RESIDUAL SOLVENTS

HS-GC-MS

PASS

Sample Prep

Tech: 2816
SOP: 405
Batch Number: 62122
Batch Date: 01/12/2024 10:17:53

Sample Analysis

Date/Time: 01/15/2024 17:16:44
Tech: 2816
SOP: 405
Final Weight: 0.0496 g
Volume: 1 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)
1,1-Dichloroethene	0.6/0.63	1	8	ND	Heptane	6/140	1	5000	ND
1,2-Dichloroethane	0.012/0.12	1	2	ND	Hexanes	0.06/18	1	250	ND
Acetone	9/140	1	750	ND	Isopropyl alcohol	3/140	1	500	<LOQ
Acetonitrile	0.72/25	1	60	<LOQ	Methanol	6/100	1	250	<LOQ
Benzene	0.06/1	1	1	ND	Methylene chloride	1.5/1.5	1	125	ND
Butane	48/50	1	5000	ND	Pentane	9/140	1	750	ND
Chloroform	0.2/1	1	2	ND	Propane	30/30	1	5000	ND
Ethanol	12/140	1	5000	993.353	Toluene	0.9/53	1	150	ND
Ethyl acetate	2.4/140	1	400	ND	Total xylenes	1.8/130	1	150	ND
Ethyl ether	6/140	1	500	ND	Trichloroethylene	0.3/1	1	25	ND
Ethylene oxide	0.6/2	1	5	ND					

HEAVY METAL ANALYSIS

ICP-MS

PASS

Sample Prep

Tech: 3396
SOP: 428
Batch Number: 62128
Batch Date: 01/15/2024 09:59:45

Sample Analysis

Date/Time: 01/15/2024 14:13:54
Tech: 3396
SOP: 428
Final Weight: 0.2227 g
Volume: 60 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LIMIT (ppb)	RESULTS (ppb)
Arsenic	20/75	1	1500	<LOQ
Cadmium	20/75	1	500	<LOQ
Lead	20/75	1	500	<LOQ
Mercury	20/75	1	3000	ND

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-0004



Order #: 84985
Retail Batch #:
AMNTBENCH

MICROBIAL ANALYSIS

PASS

Sample Prep

Tech: 3393
SOP: 406

Batch Number: 62131
Batch Date: 01/15/2024 19:53:31

Date/Time: 01/17/2024 18:34:10
Tech: 4302
SOP: 406

Final Weight: 1.0105 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total yeast and mold	qPCR	NA	NOT DETECTED	PASS

Sample Analysis

Sample Prep

Tech: 3358
SOP: 406

Batch Number: 62123
Batch Date: 01/12/2024 15:02:24

Date/Time: 01/15/2024 17:48:24
Tech: 4302
SOP: 406

Final Weight: 1.015 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Pathogenic e. coli	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Sample Analysis

Sample Prep

Tech: 3358
SOP: 406

Batch Number: 62123
Batch Date: 01/12/2024 15:02:24

Date/Time: 01/15/2024 17:48:24
Tech: 4302
SOP: 406

Final Weight: 1.015 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Salmonella	qPCR	< 1 CFU/g	NOT DETECTED	PASS
STEC e. coli	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Sample Analysis

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-0004



Order #: 84985
Retail Batch #:
AMNTBENCH

MICROBIAL ANALYSIS

PASS

Sample Prep

Tech: 3358
SOP: 406

Batch Number: 62123
Batch Date: 01/12/2024 15:02:24

Sample Analysis

Date/Time: 01/15/2024 17:48:24
Tech: 4302
SOP: 406

Final Weight: 1.015 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Aspergillus flavus	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus fumigatus	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus niger	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus terreus	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-0004



Order #: 84985
Retail Batch #:
AMNTBENCH

WATER ACTIVITY

Water Activity Meter
Water: 0.584 Aw

Sample Prep and Analysis

Date/Time: 01/15/2024 12:33:05
Tech: 4090
SOP: 407
Final Weight: 1.0381 g

MOISTURE ANALYSIS

Moisture: **6.41 %**

Sample Prep and Analysis

Date/Time: 01/15/2024 12:38:23
Tech: 4090
SOP: 411
Final Weight: 0.312 g

Diana Asensio, M.S.

Lab Director



ACT Laboratories Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



